ELSEVIER

Chemistry and Physics of Lipids
78 (1995) 215–216

Chemistry and Physics
of
LIPIDS

Volume contents

Volume 78 (1995)

M.S.F. Lie Ken Jie, C.C. Lam (Hong Kong) *^{13}C-NMR studies of polyunsaturated triacylglycerols of type AAA and mixed triacylglycerols containing saturated, acetylenic and ethylenic acyl groups* 1

M.S.F. Lie Ken Jie, C.C. Lam (Hong Kong) *^{13}C-Nuclear magnetic resonance spectroscopic studies of triacylglycerols of type AAA containing (Z)- and (E)-monoethylenic acyl groups* 15

A. Kozubek, J.H.P. Tyman (Wroclaw, Poland; Middlesex, UK) *Cereal grain resorcinolic lipids: mono and dienoic homologues are present in rye grains* 29

C.-H. Hsieh, W.-g. Wu (Hsinchu, Taiwan) *Three distinct types of unfrozen water in fully hydrated phospholipid bilayers: a combined ^{2}H- and ^{31}P-NMR study* 37

N. Maurer, L. Cantù, O. Glatter (Graz, Austria; Milan, Italy) *Physiochemical behavior of the ganglioside GM3 in dilute aqueous solutions* 47

J. Arnhold, O.M. Panasenko, J. Schiller, Y.A. Vladimirov, K. Arnold (Leipzig, Germany; Moscow Russia) *The action of hypochlorous acid on phosphatidylcholine liposomes in dependence on the content of double bonds. Stoichiometry and NMR analysis* 55

J.-M. Vatèle, H. Dong Doan, B. Fenet, J.-M. Chardigny, J.-L. Sébédio (Villeurbanne; Dijon, France) *Synthesis of methyl (5Z,8Z,11E,14Z,17Z)- and (5Z,8Z,11E,14Z,17E)-eicosapentaenoate (EPA Δ11t and Δ11t,17t)* 65

O. Berdeaux, J.-M. Vatèle, T. Eynard, M. Nour, D. Poullain, J.-P. Noël, J.-L. Sébédio (Dijon; Villeurbanne; Gif-sur-Yvette, France) *Synthesis of (9Z,12E)- and (9E,12Z)-[1-^{14}C]linoleic acid and (5Z,8Z,11Z,14E)-[1-^{14}C]arachidonic acid* 71

D. Frense, R. Haftendorn, R. Ulbrich-Hofmann (Halle, Germany) *2-Modified 1,3-diacylglycerols as new surfactants for the formation of reverse micelles* 81

F.D. Gunstone, S. Seth, R.L. Wolff (Fife, UK; Talence, France) *The distribution of Δ5 polyene acids in some pine seed oils between the α- and β-chains by 13C-NMR spectroscopy* 89

Short communication

J.B. Hauksson, M.H.J. Bergqvist, L. Rilfors (Umeå, Stockholm, Sweden) *Structure of digalactosyldiacylglycerol from oats* 97

B.-S. Lee, S.A. Mabry, A. Jones, J. Jones (Urbana, IL) *High-pressure proton NMR study of lateral self-diffusion of phosphatidylcholines in sonicated unilamellar vesicles* 103

S. Dzeletovic, A. Babiker, E. Lund, U. Diczfalusy (Huddinge, Sweden) *Time course of oxysterol formation during in vitro oxidation of low density lipoprotein* 119

J.P. Conroy, K.F. Fox (Wirral, UK) *A phase and molecular orientation study of a spin-labelled dioctadecylmethylammonium cationic surfactant* 129

H.-J. Freisleben, K. Zwicker, P. Jezek, G. John, A. Bettin-Bogutzki, K. Ring, T. Nawroth (Frankfurt, Mainz, Germany; Prague, Czech Republic) *Reconstitution of bacteriorhodopsin and ATP synthase from Micrococcus luteus into liposomes of the purified main tetraether lipid from Thermoplasma acidophilum: proton conductance and light-driven ATP synthesis* 137

F. Guillod, J. Greiner, J.G. Reiss (Nice, France) *New anionic glycophospholipids with two perfluorcarbon or two hydrocarbon or mixed hydrophobic chains* 149
R.W. Evans (Pittsburgh, PA) *Aggregates of saturated phospholipids at the air-water interface* 163
S. Bhattacharya, M. Subramanian, U.S. Hiremath (Bangalore, India) *Surfactant lipids containing aromatic units produce vesicular membranes with high thermal stability* 177
M.S.F. Lie Ken Jie, S.H. Chau (Hong Kong) *Nuclear magnetic resonance properties of tellurium dichloride derivatives of methyl telluralaurate isomers* 189
L.A. Bagatolli, G.G. Montich, M. Ravera, J.D. Perez, G.D. Fidelio (Córdoba, Argentina) *Fatty acid-indole fluorescent derivatives as probes to measure the polarity of interfaces containing gangliosides* 193

Short communication

P.E. Sonnet, J.E. Oliver, R.M. Waters, G. King, S. Panicker (Philadelphia, PA; Beltsville, MD) *A potential chiral derivatizing agent for 1,2-diglycerides* 203

Author index — Volume 78 209
Subject index — Volume 78 211
Contents — Volume 78 215